





VÉRINS EN KIT À COUPER & À SOUDER SUIVANT LA LONGUEUR DÉSIRÉE





Bobine à souder

1	Réf.	ØD mm	ØP mm	L mm
	69/7664-1	40	20.25	40
	69/7664-2	50	25.25	50
	69/7664-3	60	30.25	60



Tête de guidage

2	Réf.	AL mm	ØS mm	ØD mm	F mm	LF mm	L1 mm	L mm
	69/7660-1	40	25	49	44x1.5	19	32	40
	69/7660-2	50	30	59	54x1.5	22	35	43
	69/7660-3	60	35	69	64x1.5	27	40	50
	69/7660-4	80	40	94	85x2	33	50	60
	69/7660-5	100	50	114	105x2	51	70	82




Tige chromée usinée

3	Réf.	Course mm	ØS mm	Alésage mm	F mm	L mm	C mm	I mm	B mm
	69/7651-13	400	25	40	14x1.5	520	35	15	23
	69/7651-14	600	25	40	14x1.5	720	35	15	23
	69/7651-15	500	30	50	20x1.5	630	35	20	30
	69/7651-16	1000	30	50	20x1.5	1130	35	20	30
	69/7651-17	500	35	60/70	20x1.5	648	45	20	30
	69/7651-18	1000	35	60/70	20x1.5	1148	45	20	30
	69/7651-19	500	40	80	27x2	668	45	27	38
	69/7651-20	1000	40	80	27x2	1168	45	27	38
	69/7651-21	500	50	100	33x2	695	45	33	43
	69/7651-22	1000	50	100	33x2	1195	45	33	43






VÉRINS EN KIT À COUPER & À SOUDER SUIVANT LA LONGUEUR DÉSIRÉE




Piston

④ Réf.	AL mm	ØS mm	L mm
69/7661-1	40	15	40
69/7661-2	50	20	40
69/7661-3	60	20	50
69/7661-4	80	27	50
69/7661-5	100	33	50




Ecrou

⑤ Réf.	Filetage mm	C mm	L mm
69/7663-1	14x1.5	22	16
69/7663-2	20x1.5	30	23
69/7663-3	27x2	41	30
69/7663-4	33x2	50	35



Bossage

⑥ Réf.	Filetage mm	ØC mm	L mm
69/7662-1	1/4"	22	16
69/7662-2	3/8"	26	17
69/7662-3	1/2"	30	18



Tube glacé usiné

⑦ Réf.	Course mm	Alésage mm	F mm	L mm	ØT mm	LF mm	LB mm	E mm
69/7648-14	400	40	44x1.5	492	50	21	32	1/4"
69/7648-15	600	40	44x1.5	692	50	21	32	1/4"
69/7648-16	500	50	54x1.5	602	60	24	35	3/8"
69/7648-17	1000	50	54x1.5	1102	60	24	35	3/8"
69/7648-18	500	60	64x1.5	617	70	29	40	3/8"
69/7648-19	1000	60	64x1.5	1117	70	29	40	3/8"
69/7648-20	500	80	85x2	635	92	35	50	1/2"
69/7648-21	1000	80	85x2	1135	92	35	50	1/2"
69/7648-22	500	100	105x2	660	115	53	70	1/2"
69/7648-23	1000	100	105x2	1160	115	53	70	1/2"

Les références des pièces sont indicatives.
Nos pièces ne sont pas d'origine.




"THE RELIABLE SERVICE"



Part numbers are quoted for reference purposes only.
Our parts and accessories are not original.




VÉRINS EN KIT À COUPER & À SOUDER SUIVANT LA LONGUEUR DÉSIRÉE



Fond percé

8	Réf.	Ø AL mm	T mm	S mm	U mm	Ø P mm
	69/7665-1	40	50	35	2	16.2
	69/7665-2	50	60	45	2	20.25
	69/7665-3	60	70	50	2	25.25
	69/7665-4	80	95	60	2	30.25
	69/7665-5	100	115	70	2	35.25



Fond plat

9	Réf.	Ø AL mm	Ø T mm	S mm	U mm
	69/7666-1	40	50	10	2
	69/7666-2	50	60	10	2
	69/7666-3	60	70	12	2
	69/7666-4	80	95	12	2
	69/7666-5	100	115	15	2



Kits de joints

Réf.	Vérin
69/9446-1	25x40
69/9446-3	30x50
69/9446-5	35x60
69/9446-7	40x80
69/9446-12	50x100

Sélection de vérin à monter

Composé de :									
Caractéristiques	Ref.	Tête de guid.	Tige Chromée	Piston	Ecrou	Bossage	Tube glacé	Fond plat	Kit de joint
Ø25x40 / Lg 0 à 400 mm	69/9440-23	69/7660-1	69/7651-13	69/7661-1	69/7663-1	69/7662-1	69/7648-14	69/7666-1	69/9446-1
Ø25x40 / Lg 0 à 600 mm	69/9440-24	69/7660-1	69/7651-14	69/7661-1	69/7663-1	69/7662-1	69/7648-15	69/7666-1	69/9446-1
Ø30x50 / Lg 0 à 500 mm	69/9440-25	69/7660-2	69/7651-15	69/7661-2	69/7663-2	69/7662-2	69/7648-16	69/7666-2	69/9446-3
Ø30x50 / Lg 0 à 1000 mm	69/9440-26	69/7660-2	69/7651-16	69/7661-2	69/7663-2	69/7662-2	69/7648-17	69/7666-2	69/9446-3
Ø35x60 / Lg 0 à 500 mm	69/9440-27	69/7660-3	69/7651-17	69/7661-3	69/7663-2	69/7662-2	69/7648-18	69/7666-3	69/9446-5
Ø35x60 / Lg 0 à 1000 mm	69/9440-28	69/7660-3	69/7651-18	69/7661-3	69/7663-2	69/7662-2	69/7648-19	69/7666-3	69/9446-5
Ø40x80 / Lg 0 à 500 mm	69/9440-29	69/7660-4	69/7651-19	69/7661-4	69/7663-3	69/7662-3	69/7648-20	69/7666-4	69/9446-7
Ø40x80 / Lg 0 à 1000 mm	69/9440-30	69/7660-4	69/7651-20	69/7661-4	69/7663-3	69/7662-3	69/7648-21	69/7666-4	69/9446-7
Ø50x100 / Lg 0 à 500 mm	69/9440-31	69/7660-5	69/7651-21	69/7661-5	69/7663-4	69/7662-3	69/7648-22	69/7666-5	69/9446-12
Ø50x100 / Lg 0 à 1000 mm	69/9440-32	69/7660-5	69/7651-22	69/7661-5	69/7663-4	69/7662-3	69/7648-23	69/7666-5	69/9446-12

Les références des pièces sont indicatives.
Nos pièces ne sont pas d'origine.



"THE RELIABLE SERVICE"



Part numbers are quoted for reference purposes only.
Our parts and accessories are not original.